


**PRODUCT**

## Floor Marking Tape

Our highly visible floor tape is ideal for marking boundaries outside of the EPA. It is designed to adhere well to both synthetic and clean, particle-free concrete floors.

**FEATURES**

- This self-adhesive tape is suitable for marking the boundaries of ESD Protected Areas
- Available in eight highly visible colours
- It adheres very well to synthetic floors such as PVC floor tiles
- The tape will also adhere to concrete floors and can be expected to remain intact for several months depending on traffic
- The tape is not antistatic as it is intended for use outside the EPA



**COLOURS**


Yellow



Red



Green




White



Black




Blue



Brown



Orange



To request a quotation or for more information, please call **+44 (0)1473 836200**  
email [info@antistat.co.uk](mailto:info@antistat.co.uk) or visit [www.antistat.co.uk](http://www.antistat.co.uk)

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.

**SPECIFICATIONS**

TECHNICAL PROPERTIES	RESULT
Tape Thickness	0.15mm
Tensile strength at Break	28.0N / 10mm
Elongation at Break	150%
Adhesion to Steel	2.0N / 10mm
Adhesion to Self	2.0N / 10mm
Water Extract (1g tape per 100ml) PH	6.0 to 8.0
Conductivity	Max 2.5mS/m
Service Temperature	0°C to 6-°C
Application Temperature	5°C to 40°C
Recommended Storage Temperature	10°C
Shelf Life	12 months
Width of Tape	Cut to order
Appropriate Specification	BS3887: (1991) Part 2 Category 1 All colours DEF.STAN 75.7/1

PRODUCT CODE	DESCRIPTION	SIZE (METRIC)	COLOUR	QUANTITY
147-0014	Floor Marking Tape	50mm x 33m	Yellow	Per Roll
147-0015	Floor Marking Tape	50mm x 33m	Red	Per Roll
147-0016	Floor Marking Tape	50mm x 33m	Green	Per Roll
147-0017	Floor Marking Tape	50mm x 33m	White	Per Roll
147-0018	Floor Marking Tape	50mm x 33m	Black	Per Roll
147-0020	Floor Marking Tape	50mm x 33m	Light Blue	Per Roll
147-0021	Floor Marking Tape	50mm x 33m	Brown	Per Roll
147-0024	Floor Marking Tape	50mm x 33m	Orange	Per Roll

To request a quotation or for more information, please call **+44 (0)1473 836200**  
 email [info@antistat.co.uk](mailto:info@antistat.co.uk) or visit [www.antistat.co.uk](http://www.antistat.co.uk)

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.