


# Static Shielding Bag - Grip Seal

ANT013SSB

These grip seal, easy access static shielding bags are designed to protect sensitive electronic devices against ESD during transit and whilst kept in storage.

**Features:**

- Metal “Faraday cage” layer shields products from electric energy inside and prevents static build-up
- Four layer protection guards against charges inside and out
- Semi transparent for easy content identification
- Surface resistance of 10<sup>8</sup>-10<sup>11</sup> Ohms
- Conforms to EIA 625, EIA 541, ANSI/ESD S-20.20 & EN61340-51-ESD
- Custom sizes and print available on request
- Suitable for packing electronic products which are sensitive to static, eg PCBs, electronic components etc



**1 Configuration(s)**

Our bags are available in custom sizes or in several industry standard sizes. Bags are offered in a 2-seal configuration and bottom fold, with our standard flexographically printed artwork. Please note any bags that are longer than 24” will have a 3rd seal along the bottom edge. Our bags can also be personalised with your company logo on any bespoke orders.

**2 Standard Bag Artwork**

Our static shielding bags are produced with the following sample artwork as standard. For further information on bespoke/printed orders, please contact one of our sales team. Please note there is a MOQ of 20,000 bags on all printed bags.

**3 Construction**

Our static shielding bags are constructed in four layers, consisting of a static dissipative polyester outer layer and a static dissipative polyethylene inner layer with a centre metallised shield layer.

Our bags are manufactured from industry approved polyester and polyethelene laminates. The polyester dielectric works with the metal layer to provide a Faraday effect, the metal layer preventing penetration from damaging electrostatic fields. The specially processed polyethelene keeps tribocharging to a minimum.

**Important Notice:** This data sheet and its contents (the “Information”) belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © Antistat 2020.

# Static Shielding Bag - Grip Seal

**ANT013SSB**

## Test Conditions:

The following results were taken under the following environmental test conditions:  
 Temperature: 23°C / Humidity: 12% RH

## Technical Parameters:

Item	Test Standard	Result
Film Thickness	Micron Meter	3mils 75 micron
Metal Layer Optical Transmission	ASTM D1003 (TOBIAS)	40% +/- 5% optical density
Surface Resistivity	STM 11.11	>10 <sup>6</sup> ohm <10 <sup>10</sup> ohm/sq
Time For Static Removal	FTMS 101B Method 4046 - 5000-0V	<.0.03 Sec
Static Shielding - Energy Penetration	ESD-STM-11.31 @12% R.H.	<10 nJ
Static Shielding - Capacitive Probe	EIA 541 Appendix E	<10V
Friction Static	E1A541 Appendix C Avg.	Triboelectric nanocoulombs Quartz +0.01 Tefion -0.09
Tensile Strength	ASTM D882-91, Method A	MD 6530 psi TD 5800 psi
Tear Initiation	ASTM D1004 -94-Notched	MD 2.5 lbs./in TD 2.0 lbs
Puncture Resistance	ASTM D3420	>10 psi
Tear Resistance	ASTM D882	>8 psi
Burst Strength	FTMS 101 C Method 2065.1	50 psi nominal
Heat Seal Temperature	-	250 - 375°F
Heat Seal Pressure	-	30-70 PSI
Breaking Elongation Rate	ASTM D882-91 Method A	MD 80% TD 85%
Appearance	GB/96-04-10	No delamination, burst seal, wrinkle, warp, break, foreign particle adherence, air bubble beyond sealing ≤3mm

**Important Notice:** This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © Antistat 2020.

## Static Shielding Bag - Grip Seal

ANT013SSB

Product Code	Description	Size (inches)	Size (mm)	Additional Notes
013-0001	Static Shielding Bag - Grip Seal	3 x 5	76 x 127	Pack of 100
013-0003	Static Shielding Bag - Grip Seal	4 x 6	102 x 152	Pack of 100
013-0004	Static Shielding Bag - Grip Seal	5 x 8	127 x 203	Pack of 100
013-0020	Static Shielding Bag - Grip Seal	6 x 8	152 x 203	Pack of 100
013-0005	Static Shielding Bag - Grip Seal	6 x 10	152 x 254	Pack of 100
013-0006	Static Shielding Bag - Grip Seal	8 x 10	203 x 254	Pack of 100
013-0007	Static Shielding Bag - Grip Seal	8 x 12	203 x 305	Pack of 100
013-0008	Static Shielding Bag - Grip Seal	10 x 12	254 x 305	Pack of 100
013-0009	Static Shielding Bag - Grip Seal	10 x 14	254 x 355	Pack of 100
013-0010	Static Shielding Bag - Grip Seal	12 x 16	305 x 406	Pack of 100

Note: Other sizes available upon request.



Buy online at  
[www.antistat.com](http://www.antistat.com)



Call us on  
 +44 (0)1473 836 200



Email us at  
[info@antistat.com](mailto:info@antistat.com)



Message us on Live Chat  
[www.antistat.com](http://www.antistat.com)

Important Notice: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © Antistat 2020.